

## IMPRESORA TÉRMICA USB+BLUETOOTH

### 2C-POS58-BU



## CARACTERÍSTICAS

- Impresora Térmica 2C-POS58-BU
- Ancho del papel de 58mm ( 2 Pulgadas)
- Alto de papel 50mm (Máximo)
- Resolución de 203dpi
- Velocidad impresión de 90mm/s
- Interface USB + Bluetooth
- Sierra corte manual
- Comandos compatibles con ESC/POS
- Imprime Código de Barras 1D, 2D-QR
- Posee puerto para conectar Gaveta de Dinero
- Sensor de acabado del papel y apertura de la tapa
- Power Input: AC 100-240V AC,50-60HZ
- Power Supply: 12V DC-3A
- Compatible con Windows, Linux, MAC Os, Ubuntu, Android
- 1 Año de Garantía

## DESCRIPCIÓN TÉCNICA

<b>Printing method</b>	Thermal printing
<b>Resolution</b>	203DPI,8 dots/mm
<b>Printing Width</b>	58.0 mm (2 Inch)
<b>Printing speed</b>	90mm/s
<b>Interfaces</b>	USB + Bluetooth
<b>Power Supply Input</b>	100-240V AC,50-60HZ
<b>Output</b>	12V DC-3.0A
<b>External Only</b>	Power Adaptor
<b>PaperType</b>	Standard Thermal Receipt Paper
<b>Paper Width</b>	57.5±0.5mm
<b>Thickness</b>	0.056~0.1mm
<b>Paper Diameter</b>	50mm Max ( 2" )
<b>Character</b>	Chinese GB18030 24×24 Words, figures ASCII 9×17,12×24
<b>Support Optional</b>	Chinese, Korean, Japanese, English

<b>Code Page</b>	56 kinds of code page
<b>Reliability TPH life</b>	150km
<b>Motor Life</b>	360,000 hours
<b>OS compatibility</b>	Windows, Linux, MAC Os, Ubuntu, Android
<b>Bar Codes</b>	1D -> UPC-A, UPC-E, EAN-8, EAN13, CODE39, ITF CODEBAR, CODE128, CODE93 2D -> PDF417, QR Code
<b>Paper loading</b>	Easy paper loading
<b>Paper cutting</b>	Manual or Automatically Cut Paper
<b>Operating condition</b>	-10°C ~ 50°C, 25% ~ 80%RH
<b>Storage condition</b>	-40°C ~ 70°C, ≤93%RH (40°C)
<b>Outline dimension</b>	158mm×114mm×109 (W×L×H)
<b>Weight</b>	0.9Kg
<b>Command</b>	ESC/POS Compatible Commands